FORM 1A: PATIENT INFORMATION PREOPERATIVELY (Filled in by the patient before the operation)

## Questionnaire for patients who are to undergo surgery for degenerative changes in the neck



Email: ryggregisteret@unn.no Website: www.ryggregisteret.no

	0510 – Version 2
Patient data  Name  Date of birth/ national identity number  Address	The purpose of this questionnaire is to give doctors, physiotherapists and nurses a better understanding of the health issues of patients with degenerative conditions in the neck and of the effectiveness and safety of the treatment. Such knowledge can be used to give neck patients a better treatment service in the future.
Email  Mobile phone number	Date of completion  Day Month Year
Family and children  1. Marital status (check only one box)  Married Cohabiting Single  2. How many children do you have?  First language  Norwegian Sami Other, specify which	Current work status (check only one box)  Currently working On sick leave Homemaker (unpaid) On active sick leave Student/pupil Work assessment allowance Retired Disability benefit Unemployed Disability benefit + sick leave  If you are partially on sick leave or do not have a full disability pension, state per cent
Do you smoke?  Do you use snuff/snus?  Yes  No  Height and weight  Height (kg)	Have you applied for a disability pension? (check only one box)  No  Planning to apply  Has already been granted
Education  What is your highest level of education completed? (Check only one box)  Primary school, 7–10 years  Education as skilled worker (Vocational school)  Upper secondary school  University college or university (less than 4 years)	Have you applied for compensation from an insurance company, including the Norwegian patient injury compensation scheme or occupational injury compensation? (check only one box)  Yes  No  Planning to apply  Has already been granted
University college or university (less than 4 years)  University college or university (4 years or more)  Profession (check only one box)  Have a job where I work a lot with my arms above shoulder level  Have a job where I mostly use a computer  Have a job that involves heavy physical work  Have a job that involves light physical work with a varied working position  Have a sedentary job	Duration of symptoms  Continuous duration of current head/neck pain (check only one box)  I have no head/neck pain  Less than 3 months  3–12 months  1–2 years  More than 2 years

Continuous duration of current radiating arm pain :	If yes: Specify the duration as accurately as possible, using only one of the following options
I have no radiating pain	Less than 24 hours, number of hours
Less than 3 months	Less than 1 week, number of days
3–12 months	1 week to 3 month, number of weeks
1–2 years	3–12 months
More than 2 years	More than 12 months
Continuous sick leave/ work assessment allowance/	
rehabilitation period due to the ailments in question  (weeks)	Neck pain disability index (Vernon-Mior)
How severe was your pain last week?	This questionnaire is designed to give the health care provider information as to how your neck pain has affected your ability to
How would you grade the pain you have had in your <b>head</b> during the last week? Circle one	manage in your every day life. In each section, check only the ONE box that applies to you. We realize that you consider that two of the statements in any one section relates to you, but just check the one that most closely describes your problem today.
0 1 2 3 4 5 6 7 8 9 10	Pain intensity
No pain Worst pain imaginable	I have no pain at the moment
How would you grade the pain you have had in your <b>neck</b> during the last week? Circle one	
0 1 2 3 4 5 6 7 8 9 10	The pain is very mild at the moment
No pain Worst pain imaginable	The pain is moderate at the moment
How would you grade the pain you have had in your <b>arm</b> (one or	The pain is fairly severe at the moment
both) during the last week? Circle one	The pain is very severe at the moment
0 1 2 3 4 5 6 7 8 9 10	The pain is the worst pain imaginable at the moment
No pain Worst pain imaginable	2. Personal care (e.g., washing, dressing, etc.)
Where does the pain radiate? (check only one box)	I can look after myself normally without causing extra pain
In both shoulders/arms	I can look after myself, but it causes extra pain
Only in one shoulder/arm	It is painful to look after myself and I am slow and careful
No radiating pain	I need some help but manage most of my personal care
How far out does your arm pain radiate? (check only one box)  To the shoulder	I need help every day in most aspects of self-care
To upper arm/elbow	
To forearm/wrist	I do not get dressed; I wash with difficulty and stay in bed
To finger(s)	3. Lifting
	I can lift heavy weights without extra pain
No pain in shoulder/arm	I can lift heavy weights, but it gives me extra pain
Have you been examined or treated for shoulder pain in the past?  Yes  No	Pain prevents me from lifting heavy weights off the floor, but I can manage if they are conveniently positioned (like on a table)
Painkillers	Pain prevents me from lifting heavy weights, but I can manage light-to-medium weights if they are conveniently positioned
Do you use painkillers due to your neck— and/or shoulder pain?	I can lift very light weights
Yes No	I cannot lift or carry anything at all
If yes: How often do you use painkillers? (check only one box)	4. Reading
Less frequently than every week	I can read as much as I want with no neck pain
Every week	I can read as much as I want with slight neck pain
Daily	I can read as much as I want with moderate neck pain
Several times a day	I can't read as much as I want because of moderate neck pain
Reduced strength	I can hardly read at all because of severe pain in my
Have you reduced strength in the relevant shoulder, arm or hand?	neck
Yes No	I cannot read at all

l	Headaches	10. Recreation
	I have no headaches at all	I am able to engage in all my recreation activities with no neck pain
	I have slight headaches that come infrequently	I am able to engage in all my recreation activities with some
	I have moderate headaches that come infrequently	neck pain
	I have moderate headaches that come frequently	I am able to engage in most, but not all, of my usual recreation activities because of neck pain
	I have severe headaches that come frequently	I am able to engage in a few of my usual recreation activities because of neck pain
	I have headaches almost all of the time	I can hardly do any recreation activities because of neck pain
6.	Concentration	
	I can concentrate fully when I want with no difficulty	I can't do any recreation activities at all because of neck pain
	I can concentrate fully when I want to with slight difficulty	European Myelopathy Score (EMS)
	I have a fair degree of difficulty concentrating when I want to	The scale consists of five questions that shed light on different aspects
	I have a lot of difficulty concentrating when I want to	of spinal cord function. Please answer the questions by checking the boxes that best describe your situation (only one check for each
	I have a great deal of difficulty concentrating when I want to	paragraph)
	I cannot concentrate at all	1. Gait function
7.	Work	I am unable to walk, and need a wheelchair
	I can do as much work as I want	I can walk on flat ground with a cane or other aid
	I can only do my usual work, but no more	I need a cane or other aid when climbing stairs, but I can walk without support on flat ground
	I can do most of my usual work, but no more	I walk clumsily, but do not need an aid
	I cannot do my usual work	I walk normally, even on stairs
	I can hardly do any work at all	
	I cannot do any work at all	2. Hand function
8.	Driving	It is impossible to write by hand or eat with a knife and fork
	I can drive my car without any neck pain	I have trouble writing by hand or eating with a knife and fork
	-	I have trouble writing by hand or eating with a knife and fork  I can write by hand and tie ties and shoelaces, but I do it clumsily
	I can drive my car without any neck pain	
	I can drive my car without any neck pain I can drive my car as long as I want with slight neck pain	I can write by hand and tie ties and shoelaces, but I do it clumsily
	I can drive my car without any neck pain I can drive my car as long as I want with slight neck pain I can drive my car as long as I want with moderate neck pain	I can write by hand and tie ties and shoelaces, but I do it clumsily I have no difficulty writing  3. Coordination
	I can drive my car without any neck pain I can drive my car as long as I want with slight neck pain I can drive my car as long as I want with moderate neck pain I can't drive my car as long as I want because of moderate neck	I can write by hand and tie ties and shoelaces, but I do it clumsily I have no difficulty writing  3. Coordination I need aid with getting dressed
	I can drive my car without any neck pain I can drive my car as long as I want with slight neck pain I can drive my car as long as I want with moderate neck pain I can't drive my car as long as I want because of moderate neck pain	I can write by hand and tie ties and shoelaces, but I do it clumsily I have no difficulty writing  3. Coordination
	I can drive my car without any neck pain I can drive my car as long as I want with slight neck pain I can drive my car as long as I want with moderate neck pain I can't drive my car as long as I want because of moderate neck pain I can hardly drive at all because of severe neck pain	I can write by hand and tie ties and shoelaces, but I do it clumsily I have no difficulty writing  3. Coordination I need aid with getting dressed I can dress myself, but I am clumsy and it goes slowly I have no difficulty getting dressed
9.	I can drive my car without any neck pain I can drive my car as long as I want with slight neck pain I can drive my car as long as I want with moderate neck pain I can't drive my car as long as I want because of moderate neck pain I can hardly drive at all because of severe neck pain I can't drive my car at all	I can write by hand and tie ties and shoelaces, but I do it clumsily I have no difficulty writing  3. Coordination I need aid with getting dressed I can dress myself, but I am clumsy and it goes slowly I have no difficulty getting dressed  4. Bladder and bowel control
	I can drive my car without any neck pain I can drive my car as long as I want with slight neck pain I can drive my car as long as I want with moderate neck pain I can't drive my car as long as I want because of moderate neck pain I can hardly drive at all because of severe neck pain I can't drive my car at all Sleeping	I can write by hand and tie ties and shoelaces, but I do it clumsily I have no difficulty writing  3. Coordination I need aid with getting dressed I can dress myself, but I am clumsy and it goes slowly I have no difficulty getting dressed  4. Bladder and bowel control I have no control over bladder and/or bowel function
	I can drive my car without any neck pain I can drive my car as long as I want with slight neck pain I can drive my car as long as I want with moderate neck pain I can't drive my car as long as I want because of moderate neck pain I can hardly drive at all because of severe neck pain I can't drive my car at all  Sleeping I have no trouble sleeping	I can write by hand and tie ties and shoelaces, but I do it clumsily I have no difficulty writing  3. Coordination I need aid with getting dressed I can dress myself, but I am clumsy and it goes slowly I have no difficulty getting dressed  4. Bladder and bowel control
	I can drive my car without any neck pain I can drive my car as long as I want with slight neck pain I can drive my car as long as I want with moderate neck pain I can't drive my car as long as I want because of moderate neck pain I can hardly drive at all because of severe neck pain I can't drive my car at all Sleeping I have no trouble sleeping My sleep is slightly disturbed (less than 1 hour sleepless)	I can write by hand and tie ties and shoelaces, but I do it clumsily I have no difficulty writing  3. Coordination I need aid with getting dressed I can dress myself, but I am clumsy and it goes slowly I have no difficulty getting dressed  4. Bladder and bowel control I have no control over bladder and/or bowel function I have inadequate control over bladder and/or bowel function I have normal bladder and bowel function
	I can drive my car without any neck pain I can drive my car as long as I want with slight neck pain I can drive my car as long as I want with moderate neck pain I can't drive my car as long as I want because of moderate neck pain I can hardly drive at all because of severe neck pain I can't drive my car at all  Sleeping I have no trouble sleeping My sleep is slightly disturbed (less than 1 hour sleepless) My sleep is mildly disturbed (1 to 2 hours sleepless)	I can write by hand and tie ties and shoelaces, but I do it clumsily I have no difficulty writing  3. Coordination I need aid with getting dressed I can dress myself, but I am clumsy and it goes slowly I have no difficulty getting dressed  4. Bladder and bowel control I have no control over bladder and/or bowel function I have inadequate control over bladder and/or bowel function I have normal bladder and bowel function  5. Numbness/pain
	I can drive my car without any neck pain I can drive my car as long as I want with slight neck pain I can drive my car as long as I want with moderate neck pain I can't drive my car as long as I want because of moderate neck pain I can hardly drive at all because of severe neck pain I can't drive my car at all  Sleeping I have no trouble sleeping My sleep is slightly disturbed (less than 1 hour sleepless) My sleep is mildly disturbed (1 to 2 hours sleepless) My sleep is moderately disturbed (2 to 3 hours sleepless)	I can write by hand and tie ties and shoelaces, but I do it clumsily I have no difficulty writing  3. Coordination I need aid with getting dressed I can dress myself, but I am clumsy and it goes slowly I have no difficulty getting dressed  4. Bladder and bowel control I have no control over bladder and/or bowel function I have inadequate control over bladder and/or bowel function I have normal bladder and bowel function  5. Numbness/pain I have significant disabling pain
9.	I can drive my car without any neck pain I can drive my car as long as I want with slight neck pain I can drive my car as long as I want with moderate neck pain I can't drive my car as long as I want because of moderate neck pain I can hardly drive at all because of severe neck pain I can't drive my car at all  Sleeping I have no trouble sleeping My sleep is slightly disturbed (less than 1 hour sleepless) My sleep is moderately disturbed (2 to 3 hours sleepless) My sleep is greatly disturbed (3 to 5 hours sleepless)	I can write by hand and tie ties and shoelaces, but I do it clumsily I have no difficulty writing  3. Coordination I need aid with getting dressed I can dress myself, but I am clumsy and it goes slowly I have no difficulty getting dressed  4. Bladder and bowel control I have no control over bladder and/or bowel function I have inadequate control over bladder and/or bowel function I have normal bladder and bowel function  5. Numbness/pain

## Health Questionnaire (EQ-5D) Under each heading, please check the ONE box that best describes your health TODAY. Mobility I have no problems in walking about I have slight problems in walking about I have moderate problems in walking about I have severe problems in walking about I am unable to walk about Self-care I have no problems washing or dressing myself I have slight problems washing or dressing myself I have moderate problems washing or dressing myself I have severe problems washing or dressing myself I am unable to wash or dress myself Usual activities (e.g. work, study, housework, family or leisure 3. I have no problems doing my usual activities I have slight problems doing my usual activities I have moderate problems doing my usual activities I have severe problems doing my usual activities I am unable to do my usual activities Pain/discomfort I have no pain or discomfort I have slight pain or discomfort I have moderate pain or discomfort I have severe pain or discomfort I have extreme pain or discomfort Anxiety/depression I am not anxious or depressed I am slightly anxious or depressed I am moderately anxious or depressed I am severely anxious or depressed I am extremely anxious or depressed

## State of health

- We would like to know how good or bad your health is TODAY.
- This scale is numbered from 0 to 100.
- 100 means the best health you can imagine. 0 means the worst health you can imagine.
- Mark an X on the scale to indicate how your health is TODAY.
- Now, please write the number you marked on the scale in the box below.

