

Publikasjoner relatert til NORM. NORM-data, NORM-finansiering eller NORM-ansatt.
Alfabetisk liste med førsteforfattere for hvert publikasjonsår.

05	Johnsen PJ , Østerhus JI, Sletvold H, Sørnum M, Kruse H, Nielsen K, Simonsen GS, Sundsfjord A. Persistence of animal and human glycopeptide resistant enterococci on two Norwegian poultry farms formerly exposed to avoparcin is associated with a widespread plasmid-mediated vanA-element within a polyclonal <i>Enterococcus faecium</i> population. <i>Appl Environ Microbiol</i> 2005;71:159-168.
	Littauer P , Sangvik M, Caugant DA, Høiby EA, Simonsen GS, Sundsfjord A, Norwegian Macrolide Study Group. Molecular epidemiology of macrolide-resistant isolates of <i>Streptococcus pneumoniae</i> collected from blood and respiratory specimens in Norway. <i>J Clin Microbiol.</i> 2005;43:2125-32.
	Sangvik M , Littauer P, Simonsen GS, Sundsfjord A, Dahl KH. <i>mef(A)</i> , <i>mef(E)</i> and a new <i>mef</i> allele in macrolideresistant <i>Streptococcus</i> spp. isolates from Norway. <i>J. Antimicrob. Chemther.</i> 2005;56:841-846.
	Tapsall JW , Simonsen GS, Talbot EA, Allegranzi B. Proportion-based surveillance of antimicrobial resistance remains an essential public health tool for disease control. <i>Nature Reviews Microbiology</i> ; published online: 18 July 2005 doi:10.1038/nrmicro1047-c1.
06	Kahlmeter G , Brown DF, Goldstein FW, MacGowan AP, Mouton JW, Odenholt I, Rodloff A, Soussy CJ, Steinbakk M, Soriano F, Stetsiouk O. European Committee on Antimicrobial Susceptibility Testing (EUCAST) Technical Notes on antimicrobial susceptibility testing. <i>Clin Microbiol Infect.</i> 2006 Jun;12(6):501-3.
	Littauer P , Caugant DA, Sangvik M, Hoiby EA, Sundsfjord A, Simonsen GS. Macrolide-resistant <i>Streptococcus pyogenes</i> in Norway: population structure and resistance determinants. <i>Antimicrob Agents Chemother.</i> 2006 May;50(5):1896-9.
	Sørnum M , Johnsen PJ, Aasnes B, Rossvold T, Kruse H, Sundsfjord A, Simonsen GS. Prevalence, persistence, and molecular characterization of glycopeptide-resistant enterococci in Norwegian poultry and poultry farmers 3 to 8 years after the ban on avoparcin. <i>Appl Environ Microbiol.</i> 2006 Jan;72(1):516-21.
07	Haugum K , Aas L, Lindstedt BA Effect of quinolone antibiotics and chemicals on mutation types in <i>Salmonella enterica</i> serovars Enteritidis Hadar and Virchow. <i>J of Chinese Clin Med</i> 2007;2;241-51.
	Sletvold H , Johnsen PJ, Simonsen GS, Aasnaes B, Sundsfjord A, and Nielsen KM. Comparative DNA analysis of two vanA plasmids of <i>Enterococcus faecium</i> isolated from poultry and a poultry farmer in Norway. <i>Antimicrob Agents Chemother.</i> 2007 Feb;51(2):736-739.
	Stabell N , Nordal E, Stensvold E, Gammelsrud KW, Lund B, Taxt A, Buhning F, Greve-Isdahl M, Fornebo HP, Simonsen GS, Klingenberg C. Febrile neutropenia in children with cancer: A retrospective Norwegian multicentre study of clinical and microbiological outcome. <i>Scand J Infect Dis.</i> 2007 Oct 4:1-7.
	Tofteland S , Haldorsen B, Dahl KH, Simonsen GS, Steinbakk M, Walsh TR, Sundsfjord A. Effects of phenotype and genotype on methods for detection of extended-spectrum beta-lactamase-producing clinical isolates of <i>Escherichia coli</i> and <i>Klebsiella pneumoniae</i> in Norway. <i>J Clin Microbiol.</i> 2007 Jan;45(1):199-205.
08	Al-Haruni M , Skaug N, Bakken V, Cash P. Proteomic analysis of ampicillin-resistant oral <i>Fusobacterium nucleatum</i> . <i>Oral Microbiol Immunol</i> , 2008;23(1)36-42.
	Dudman SG , Stene-Johansen K, Vik ISS. Resistens ved virusinfeksjoner. <i>Tidsskr Nor Lægeforen</i> , 2008;128(22):2597-600.
	Haldorsen B , Aasnaes B, Dahl KH, Hanssen AM, Simonsen GS, Walsh TR, Sundsfjord A, Lundblad EW. The AmpC phenotype in Norwegian clinical isolates of <i>Escherichia coli</i> is associated with an acquired ISEcp1-like ampC element or hyperproduction of the endogenous AmpC. <i>J Antimicrob Chemother.</i> 2008;62:694-702.
	Hammerstrøm J , Røym AL, Gran FW. Bakteriemi ved maligne blodsykdommer. <i>Tidsskr Nor Laegeforen.</i> 2008;128:1655-9.
	Samuelsen Ø , Buarø L, Giske CG, Simonsen GS, Aasnaes B, Sundsfjord A. Evaluation of phenotypic tests for the detection of metallo- β -lactamase-producing <i>Pseudomonas aeruginosa</i> in a low prevalence country. <i>J Antimicrob Chemother.</i> 2008;61:827-30.

08	Simonsen GS. Antibiotikaresistens - et globalt folkehelseproblem. Tidsskr Nor Laegeforen. 2008;128:2552. Sletvold H, Johnsen PJ, Hamre I, Simonsen GS, Sundsfjord A, Nielsen KM. Complete sequence of <i>Enterococcus faecium</i> pVEF3 and the detection of an omega-epsilon-zeta toxin-antitoxin module and an ABC transporter. Plasmid. 2008;60:75-85.
	Stabell N, Nordal E, Stensvold E, Gammelsrud KW, Lund B, Taxt A, Buhning F, Greve-Isdahl M, Fornebo HP, Simonsen GS, Klingenberg C. Febrile neutropenia in children with cancer: A retrospective Norwegian multicenter study of clinical and microbiological outcome. Scand J Infect Dis. 2008;40:301-7.
	Straand J, Gradmann C, Lindbæk M, Simonsen GS. Antibiotic development and resistance. In: International Encyclopedia of Public Health, Vol 1. San Diego: Academic Press; 2008. pp. 200-211.
	Sundsfjord A, Simonsen GS, Haldorsen B, Lundblad EW, Samuelsen Ø. Bredspektrede betalaktamaser hos gramnegative stavbakterier. Tidsskr Nor Laegeforen. 2008;128:2741-5.
	Vestrheim DF, Høiby AE, Aaberge IS, Caugan DA. Phenotypic and genotypic characterization of <i>Streptococcus pneumoniae</i> strains colonizing children attending day-care centers in Norway. J Clin Microbiol, 2008; 46(8):2508–2518.
	Vorobieva V, Bazhukova T, Hanssen AM, Caugant DA, Semenova N, Haldorsen BC, Simonsen GS, Sundsfjord A. Clinical isolates of <i>Staphylococcus aureus</i> from the Arkhangelsk region, Russia: antimicrobial susceptibility, molecular epidemiology, and distribution of Panton-Valentine leucocidin genes. APMIS 2008;116:877-87.
	Werner G, Coque TM, Hammerum AM, Hope R, Hryniewicz W, Johnson A, Klare I, Kristinsson KG, Leclercq R, Lester CH, Lillie M, Novais C, Olsson-Liljequist B, Peixe LV, Sadowy E, Simonsen GS, Top J, Vuopio-Varkila J, Willems RJ, Witte W, Woodford N. Emergence and spread of vancomycin resistance among enterococci in Europe. Euro Surveill. 2008;13:1-11.
09	Boivin G, Goyette N, Rollag H, Jardine AG, Pescovitz MD, Asberg A, Ives J, Hartmann A, Humar A. Cytomegalovirus resistance in solid organ transplant recipients treated with intravenous ganciclovir or oral valganciclovir. Antivir Ther, 2009;14(5):697-704.
	Earnshaw S, Monnet DL, Duncan B, O'Toole J, Ekdahl K, Goossens H; European Antibiotic Awareness Day Technical Advisory Committee; European Antibiotic Awareness Day Collaborative Group. European Antibiotic Awareness Day, 2008 - the first Europe-wide public information campaign on prudent antibiotic use: methods and survey of activities in participating countries. Euro Surveill. 2009;14:19280.
	Furberg A-S, Simonsen GS. Antibiotikaresistens i Norge - hvilken rolle spiller Norsk overvåkingssystem for antibiotikaresistens hos mikrober? Indremedisinen 2009; 1:10-11.
	Johnsen PJ, Townsend JP, Bøhn T, Simonsen GS, Sundsfjord A, Nielsen KM. (2009) Factors affecting the reversal of antimicrobial-drug resistance. Lancet Infect. Dis. 2009; 9:357-64.
	Klingenberg C, Småbrekke L, Døllner H, Simonsen GS. Peroral antibiotikabehandling av urinveisinfeksjon hos barn. Tidsskr Nor Laegeforen. 2009; 129:1342-4.
	Naseer U, Haldorsen B, Simonsen GS, Sundsfjord A. Sporadic occurrence of CMY-2 producing multidrug resistant <i>Escherichia coli</i> of ST-complexes 38, 448 and ST131 in Norway. Clin Microbiol Infect. 2009 Jun 22 (Epub).
	Naseer U, Haldorsen B, Tofteland S, Hegstad K, Scheutz F, Simonsen GS, Sundsfjord A. Molecular characterisation of CTX-M producing clinical isolates of <i>Escherichia coli</i> reveals the spread of multi-drug resistant CTX-M-15 ST-131 (O25:H4) and ST-964 (O102:H6) strains in Norway. APMIS. 2009;117:526-36.
	Simonsen GS. Overvåking og forekomst av antibiotikaresistens i Norge. Tidsskr Nor Laegeforen. 2009; 129:623-7.
	Trobos M, Christensen H, Sunde M, Nordentoft S, Agero Y, Simonsen GS, Hammerum AM, Olsen JE. Characterization of sulphonamide-resistant <i>Escherichia coli</i> using comparison of sul2 gene sequences and multilocus sequence typing. Microbiology 2009; 155:831-836.

10	<p>Fagan M, Skotheim SB. Fluorokinolonbruk i sykehjem. Tidsskr Nor Laegeforen, 2010;130(20):2022-4.</p>
	<p>Grundmann H, Aanensen DM, van den Wijngaard CC, Sabat AJ, Muilwijk J, Monen J, Tami A, Donker T, Mittermayer H, Krziwanek K, Stumvoll S, Koller W, Denis O, Struelens M, Nashev D, Budimir A, Kalenic S, Peridou-Bagatzouni D, Jakubu V, Zemlickova H, Westh H, Sørnum M, Skov R, Laurent F, Ettienne J, Strommenger B, Witte W, Vourli S, Vatopoulos A, Vainio A, Vuopio-Varkila J, Fuzi M, Ungvári E, Murchan S, Rossney A, Miklasevics E, Balode A, Haraldsson G, Kristinsson KG, Monaco M, Pantosi A, Borg M, van Santen-Verheuevel M, Huijsdens X, Marstein L, Jacobsen T, Simonsen GS, Aires-de-Sousa M, de Lencastre H, Luczak-Kadlubowska A, Hryniewicz W, Straut M, Codita I, Perez-Vazquez M, Cuevas O, Cvitkovic Spik V, Mueller-Premru M, Haegman S, Olsen-Liljequist B, Ellington M, Kearns A, Köck R, Mellmann A, Becker K, Vogel U, Spratt BG, Harmsen D, Friedrich AW. Geographic distribution of <i>Staphylococcus aureus</i> causing invasive infections in Europe: a molecular-epidemiological analysis. PLoS Med 2010;7(1):e1000215.</p>
	<p>Grundmann H, Livermore DM, Giske CG, Canton R, Rossolini GM, Campos J, Vatopoulos A, Gniadkowski M, Toth A, Pfeifer Y, Jarlier V, Carmeli Y; CNSE Working Group; Mittermayer H, Goossens M, Tihic N, Proevska Y, Tambic A, Pieridou-Bagatzouni D, Zemlickova H, Hrabak J, Hammerum AM, Ivanova M, Jalavi J, Jarlier V, Pfeifer Y, Vatopoulos A, Toth A, Hardarson H, Boo TW, Colodner R, Carmeli Y, Monaco M, Garcia Fernandez A, Rossolini G, Balode A, Miculeviciene J, Caruana P, Simonsen GS, Samuelsen Ø, Hryniewicz W, Gniadkowski M, Caniça M, Manageiro V, Codita I, Mueller-Premru M, Kolman J, Campos J, Iglesias JO, Cantón R, Edquist PJ, Giske C, Droz S, Livermore D, Leverstein M, Huijsdens X, Grundmann H. Carbapenem-non-susceptible Enterobacteriaceae in Europe: conclusions from a meeting of national experts. Euro Surveill 2010;15(46):pii:19711.</p>
	<p>Karah N, Poirel L, Bengtsson S, Sundqvist M, Kahlmeter G, Nordmann P, Sundsfjord A, Samuelsen Ø, Hannula R, Wiig M, Vik E, Hjetland R, Vedde A, Mortensen L, Larsen J, Hasseltvedt V, Ødegaard K, Sønsteby LJ, Kellokumpu PL, Steinbakk M, Einvik M, Samdal HH, Grimstad E, Tofteland S, Larsen TS, Simonsen GS, Barkhald SH, Tveten Y, Strand L, Haarr E, Brekken AL, Leegaard T, Ueland MR, Hide R, Jenum PA, Sundberg M, Ragnhildstveit E, Hollekim AC, Syversen G, Bergheim T, Müller F, Bøvre M, Mehl A, Berg E, Skaare D, Lia A, Mylvaganam H, Haukeland TS, Hansen G, Rasmussen B. Plasmid-mediated quinolone resistance determinants qnr and aac(6)-Ib-cr in <i>Escherichia coli</i> and <i>Klebsiella</i> spp. from Norway and Sweden. Diagn Microbiol Infect Dis 2010;66(4):425-31.</p>
	<p>Naseer U, Haldorsen B, Simonsen GS, Sundsfjord A. Sporadic occurrence of CMY-2-producing multidrugresistant <i>Escherichia coli</i> of ST-complexes 38 and 448, and ST131 in Norway. Clin Microbiol Infect 2010;16(2):171-8.</p>
	<p>Petersen FC, Scheie AA. Natural transformation of oral streptococci. Methods Mol Biol, 2010;666:167-80.</p>
	<p>Rosvoll TC, Pedersen T, Sletvold H, Johnsen PJ, Sollid JE, Simonsen GS, Jensen LB, Nielsen KM, Sundsfjord A. PCR-based plasmid typing in <i>Enterococcus faecium</i> strains reveals widely distributed pRE25-, pRUM-, pIP501-and pHTb-related replicons associated with glycopeptide resistance and stabilizing toxin-antitoxin systems. FEMS Immunol Med Microbiol 2010;58(2):254-68.</p>
	<p>Rørtveit S, Skutlaberg DH, Langeland N, Rørtveit G. Impetigo in a population over 8.5 years: incidence, fusidic acid resistance and molecular characteristics. J Antimicrob Chemother. 2011 Mar 9 (Epub).</p>
	<p>Skaare D, Allum AG, Anthonisen IL, Jenkins A, Lia A, Strand L, Tveten Y, Kristiansen BE. Mutant <i>ftsI</i> genes in the emergence of penicillin-binding protein-mediated β-lactam resistance in <i>Haemophilus influenzae</i> in Norway. Clin Microbiol Infect, 2010;16(8):1117-24.</p>
	<p>Sletvold H, Johnsen PJ, Wikmark OG, Simonsen GS, Sundsfjord A, Nielsen KM. Tn1546 is part of a larger plasmid-encoded genetic unit horizontally disseminated among clonal <i>Enterococcus faecium</i> lineages. J Antimicrob Chemother 2010;65(9):1894-906.</p>
<p>Vestrheim DF, Høyby EA, Aaberge IS, Caugant DA. Impact of a pneumococcal conjugate vaccination program on carriage among children in Norway. Clin Vaccine Immunol, 2010;17(3):325-34.</p>	

Publikasjoner relatert til NORM. NORM-data, NORM-finansiering eller NORM-ansatt.
Alfabetisk liste med førsteforfattere for hvert publikasjonsår.

	<p>Vorobieva V, Naseer U, Bazhukova T, Semenova N, Haldorsen BC, Aasnæs B, Simonsen GS, Sundsfjord A. Urinary tract isolates of Enterobacteriaceae from hospitalized patients in the Arkhangelsk region, Russia: antimicrobial susceptibility and characterization of extended-spectrum β-lactamases strains. <i>Scand J Infect Dis</i> 2010;42(10):797-800.</p>
11	<p>Eliassen KE. Lyme borreliose - nordens "tropesykdom". <i>Bioingeniøren</i>. 2011(4):14-18.</p>
	<p>Gagliotti C, Balode A, Baquero F, Degener J, Grundmann H, Gür D, Jarlier V, Kahlmeter G, Monen J, Monnet DL, Rossolini GM, Suetens C, Weist K, Heuer O, Apfalter P, El Belazi G, Fluch G, Hain C, Hrabcik H, Koller W, Metz-Gercek S, Muchl R, Strauss R, Catry, Fauville Dufaux M, Goossens H, Goossens M, Meulenbergs L, Vaerenberg S, Kantardjiev T, Markova B, Stoyanova Marteva-Proevska J, Maikanti Charalambous P, Pieridou Bagatzouni D, Jakubu V, Urbaskova P, Zemlickova H, Galle M, Hammerum A, Olsen S, Schultz Nielsen K, Skov , Aro T, Dontsenko I, Ivanova M, Kermes K, Lemetsar A, Hakanen A, Lyytikäinen O, Möttönen T, Coignard B, De Valk H, Maugat S, Trystram D, Altmann D, Gilsdorf A, Noll I, Tille A, Witte W, Miriagou V, Polemis M, Tsakris A, Vatopoulos A, Böröcz K, Melles M, Tóth A, Vegh Z, Briem H, Helgadottir L, Kristinsson K, Brazil J, Cunney R, Fitzgerald M, Hanrahan P, Murchan S, Murphy O, O'Connell B, D'Ancona F, Iannazzo S, Pantosti A, Nikiforova R, Berzanskyte A, Dagyte-Sileikiene L, Miciuleviciene J, Hansen-Koenig D, Perrin-Weniger M, Borg M, Scicluna E, Zammit Cassar R, De Neeling A, Van De Sande N, Konsmo K, Simonsen GS, Steinbakk M, Wathne K, Width Gran F, Hryniewicz W, Sitkiewicz M, Sulik M, Zabicka D, Caniça M, Costa C, Manageiro V, Codita I, Serban R, Bergant N, Kolman J, Mueller-Premru M, Campos Marques J, Oteo Iglesias J, Perez-Vazquez M, Alefjord I, Linde A, Olsson-Liljequist B, Struwe J, Blackburn R, Eastick K, Edwards G, Fisher I, Hill R, Johnson A, Johnston F, Mcilvenny G, Mullings A, Nirmal N, Patterson L, Wilson J. <i>Escherichia coli</i> and <i>Staphylococcus aureus</i>: bad news and good news from the European Antimicrobial Resistance Surveillance Network (EARS-Net, formerly EARSS), 2002 to 2009. <i>Euro Surveill</i>. 2011;16:19819.</p>
	<p>Haug JB, Berild D, Walberg M, Reikvam A. Increased antibiotic use in Norwegian hospitals despite a low antibiotic resistance rate. <i>J Antimicrob Chemother</i>. 2011 Nov;66(11):2643-6.</p>
	<p>Hjelmevoll SO, Golparian D, Dedi L, Skutlaberg DH, Haarr E, Christensen A, Jørgensen S, Nilsen OJ, Unemo M, Skogen V. Phenotypic and genotypic properties of <i>Neisseria gonorrhoeae</i> isolates in Norway in 2009: antimicrobial resistance warrants an immediate change in national management guidelines. <i>Eur J Clin Microbiol Infect Dis</i>. 2011 Sep 30.</p>
	<p>Johnsen PJ, Townsend JP, Bøhn T, Simonsen GS, Sundsfjord A, Nielsen KM. Retrospective evidence for a biological cost of vancomycin resistance determinants in the absence of glycopeptide selective pressures. <i>J Antimicrob Chemother</i>. 2011;66:608-10.</p>
	<p>Karah N, Haldorsen B, Hegstad K, Simonsen GS, Sundsfjord A, Samuelsen Ø; Norwegian Study Group of Acinetobacter. Species identification and molecular characterization of <i>Acinetobacter spp.</i> blood culture isolates from Norway. <i>J Antimicrob Chemother</i>. 2011 Apr;66(4):738-44.</p>
	<p>Nilsson LE, Frimodt-Møller N, Vaara M, Simonsen GS. Comparative activity of tigecycline and tetracycline on Gram-negative and Gram-positive bacteria revealed by a multicentre study in four North European countries. <i>Scand J Infect Dis</i>. 2011;43:707-13.</p>
	<p>Rørtveit S, Skutlaberg DH, Langeland N, Rørtveit G. Impetigo in a population over 8.5 years: incidence, fusidic acid resistance and molecular characteristics. <i>J Antimicrob Chemother</i>. 2011 Jun;66(6):1360-4.</p>
	<p>Sangvik M, Olsen RS, Olsen K, Simonsen GS, Furberg A-S, Sollid JU. Age- and gender-associated <i>Staphylococcus aureus</i> spa types found among nasal carriers in a general population: the Tromsø Staph and Skin Study. <i>J Clin Microbiol</i>. 2011;49:4213-8.</p>
12	<p>Fagan M, Mæhlen M, Lindbæk M, Berild D. Antibiotic prescribing in nursing homes in an area with low prevalence of antibiotic resistance: compliance with national guidelines. <i>Scand J Prim Health Care</i>. 2012 Mar;30(1):10-5.</p>
	<p>Gravningen KM, Christerson L, Furberg A-S, Simonsen GS, Ödman K, Ståhlsten A, Herrmann B. Multilocus Sequence Typing of Genital <i>Chlamydia trachomatis</i> in Norway Reveals Multiple New Sequence Types and a Large Genetic Diversity. <i>PLoS ONE</i> 2012;7(3):e34452.</p>

	<p>Gravningen KM, Furberg A-S, Simonsen GS, Wilsgaard T. Early sexual behaviour and <i>Chlamydia trachomatis</i> infection - a population based cross-sectional study on gender differences among adolescents in Norway. BMC Infectious Diseases 2012; 12:319 doi:10.1186/1471-2334-12-319.</p> <p>Hegge AB, Bruzell E, Kristensen S, Tønnesen HH. Photoinactivation of <i>Staphylococcus epidermidis</i> biofilms and suspensions by the hydrophobic photosensitizer curcumin-effect of selected nanocarrier: studies on curcumin and curcuminoides XLVII. Eur J Pharm Sci. 2012 Aug 30;47(1):65-74.</p> <p>Hegge AB. Formulering av antibiotika i behandling av motstandsdyktige bakterieinfeksjoner. Norsk Farmaceutisk Tidsskrift 2012(10):25-29.</p> <p>Hjelmevoll SO, Golparian D, Dedi L, Skutlaberg DH, Haarr E, Christensen A, Jørgensen S, Nilsen ØJ, Unemo M, Skogen V. Phenotypic and genotypic properties of <i>Neisseria gonorrhoeae</i> isolates in Norway in 2009: antimicrobial resistance warrants an immediate change in national management guidelines. Eur J Clin Microbiol Infect Dis. 2012 Jun;31(6):1181-6.</p> <p>Kuch A, Willems RJ, Werner G, Coque TM, Hammerum AM, Sundsfjord A, Klare I, Ruiz-Garbajosa P, Simonsen GS, van Luit-Asbroek M, Hryniewicz W, Sadowy E. Insight into antimicrobial susceptibility and population structure of contemporary human <i>Enterococcus faecalis</i> isolates from Europe. J Antimicrob Chemother. 2012;67:551-8.</p> <p>Lindemann PC, Risberg K, Wiker HG, Mylvaganam H. Aminoglycoside resistance in clinical <i>Escherichia coli</i> and <i>Klebsiella pneumoniae</i> isolates from Western Norway. APMIS. 2012 Jun;120(6):495-502.</p> <p>Olsen K, Falch BM, Danielsen K, Johannessen M, Ericson Sollid JU, Thune I, Grimnes G, Jorde R, Simonsen GS, Furberg A-S. <i>Staphylococcus aureus</i> nasal carriage is associated with serum 25-hydroxyvitamin D levels, gender and smoking status. The Tromsø Staph and Skin Study. Eur. J. Clin. Microbiol. Infect. Dis., 2012;31:465-473.</p> <p>Pulcini C, Bush K, Craig WA, Frimodt-Møller N, Grayson ML, Mouton JW, Turnidge J, Harbarth S, Gyssens IC, Hysa A, Piperio P, Theuretzbacher U, Kantardjiev T, Lowe D, Vlahovic-Palcevski V, Laius O, Lutsar I, Bergman M, Matz S, Ziegelmann A, Giamarellou H, Benkö R, Nagy E, Arnórsson M, Bergin C, O'Connor M, Tacconelli E, Raka L, Dumpis U, Jurkevičienė A, Bruch M, Heisbourg E, Bosevska G, Zarb P, Simonsen GS, Hryniewicz W, Ramos Dias LC, Lupse M, Carevic B, Beović B, Paño Pardo JR, Hanberger H, Akova M, Kennedy H, Marwick C. Forgotten antibiotics: an inventory in Europe, the United States, Canada, and Australia. Clin Infect Dis. 2012;54(2):268-74.</p> <p>Rettedal S, Löhr IH, Natås O, Giske CG, Sundsfjord A, Øymar K. First outbreak of extended-spectrum β-lactamase-producing <i>Klebsiella pneumoniae</i> in a Norwegian neonatal intensive care unit; associated with contaminated breast milk and resolved by strict cohorting. APMIS. 2012 Aug;120(8):612-21.</p> <p>Rosvoll TC, Lindstad BL, Lunde TM, Hegstad K, Aasnaes B, Hammerum AM, Lester CH, Simonsen GS, Sundsfjord A, Pedersen T. Increased high-level gentamicin resistance in invasive <i>Enterococcus faecium</i> is associated with aac(6')Ie-aph(2'')Ia-encoding transferable megaplasmids hosted by major hospital-adapted lineages. FEMS Immunol Med Microbiol. 2012 Nov;66(2):166-76.</p> <p>Tofteland S, Dahl K, Aasnæs B, Sundsfjord A, Naseer U. A nationwide study of mechanisms conferring reduced susceptibility to extended-spectrum cephalosporins in clinical <i>Escherichia coli</i> and <i>Klebsiella spp.</i> isolates. Scand. J. Infect. Dis. 2012;44:927-933.</p> <p>Aamot HV, Blomfeldt A, Eskesen AN. Genotyping of 353 <i>Staphylococcus aureus</i> bloodstream isolates collected between 2004 and 2009 at a Norwegian university hospital and potential associations with clinical parameters. J Clin Microbiol. 2012 Sep;50(9):3111-4.</p>
13	<p>Aldrin M, Raastad R, Tvette IF, Berild D, Frigessi A, Leegaard T, Monnet DL, Walberg M, Müller F. Antibiotic resistance in hospitals: a ward-specific random effect model in a low antibiotic consumption environment. Stat Med. 2013 Apr 15;32(8):1407-18.</p> <p>Gravningen K, Simonsen GS, Furberg A-S, Wilsgaard T. Factors associated with <i>Chlamydia trachomatis</i> testing in a high school based screening and previously in clinical practice: a cross-sectional study in Norway. BMC Infectious Diseases. 2013;13:361.</p> <p>Haldorsen BC, Simonsen GS, Sundsfjord A, Samuelson O. Increased prevalence of aminoglycoside resistance in clinical isolates of <i>Escherichia coli</i> and <i>Klebsiella spp.</i> in Norway is associated with the</p>

Publikasjoner relatert til NORM. NORM-data, NORM-finansiering eller NORM-ansatt.
Alfabetisk liste med førsteforfattere for hvert publikasjonsår.

	acquisition of AAC(3)-II and AAC(6')-Ib. ; Norwegian Study Group on Aminoglycoside Resistance. <i>Diagn Microbiol Infect Dis.</i> 2014 Jan;78(1):66-9.
	Löhr IH , Rittedal S, Natås OB, Naseer U, Oymar K, Sundsfjord A. Long-term faecal carriage in infants and intra-household transmission of CTX-M-15-producing <i>Klebsiella pneumoniae</i> following a nosocomial outbreak. <i>J Antimicrob Chemother.</i> 2013 May;68(5):1043-8.
	Nilsen E , Haldorsen BC, Sundsfjord A, Simonsen GS, Ingebretsen A, Naseer U, Samuelsen O; Norwegian Study Group on Invasive Enterobacter. Large IncHI2-plasmids encode extended-spectrum β -lactamases (ESBLs) in <i>Enterobacter spp.</i> bloodstream isolates, and support ESBL-transfer to <i>Escherichia coli</i> . <i>Clin Microbiol Infect.</i> 2013 Nov;19(11):E516-8.
	Olsen K , Danielsen K, Wilsgaard T, Sangvik M, Sollid JU, Thune I, Eggen AE, Simonsen GS, Furberg AS. Obesity and <i>Staphylococcus aureus</i> nasal colonization among women and men in a general population. <i>PLoS One.</i> 2013 May 7;8(5):e63716.
	Olsen K , Sangvik M, Simonsen GS, Sollid JUE, Sundsfjord A, Thune I, Furberg A-S. Prevalence and population structure of <i>Staphylococcus aureus</i> nasal carriage in healthcare workers in a general population. The Tromsø Staph and Skin Study. <i>Epidemiology and Infection.</i> 2013;141(1):143-52.
	Rittedal S , Høyland Löhr I, Natås O, Sundsfjord A, Øymar K. Risk factors for acquisition of CTX-M-15 extended-spectrum beta-lactamase-producing <i>Klebsiella pneumoniae</i> during an outbreak in a neonatal intensive care unit in Norway. <i>Scand J Infect Dis.</i> 2013; 45(1):54-8.
	Søraas A , Sundsfjord A, Sandven I, Brunborg C, Jenum PA. Risk factors for community-acquired urinary tract infections caused by ESBL-producing <i>Enterobacteriaceae</i> - a case-control study in a low prevalence country. <i>PLoS One.</i> 2013 Jul 23;8(7):e69581.
14	Fagan M , Lindbæk M, Reiso H, Berild D. A simple intervention to reduce inappropriate ciprofloxacin prescribing in the emergency department. <i>Scand J Infect Dis.</i> 2014 Jul;46(7):481-5.
	Geilhufe M , Held L, Skrøvseth SO, Simonsen GS, Godtliebsen F. Power law approximations of movement network data for modeling infectious disease spread. <i>Biom J.</i> 2014 May;56(3):363-82.
	Haldorsen BC , Simonsen GS, Sundsfjord A, Samuelsen O; Norwegian Study Group on Aminoglycoside Resistance. Increased prevalence of aminoglycoside resistance in clinical isolates of <i>Escherichia coli</i> and <i>Klebsiella spp.</i> in Norway is associated with the acquisition of AAC(3)-II and AAC(6')-Ib. <i>Diagn Microbiol Infect Dis.</i> 2014 Jan;78(1):66-9.
	Haug JB , Berild D, Walberg M, Reikvam Å. Hospital- and patient-related factors associated with differences in hospital antibiotic use: analysis of national surveillance results. <i>Antimicrob Resist Infect Control.</i> 2014 Dec 24;3(1):40.
	Hegstad K , Longva JÅ, Hide R, Aasnæs B, Lunde TM, Simonsen GS. Cluster of linezolid-resistant <i>Enterococcus faecium</i> ST117 in Norwegian hospitals. <i>Scand J Infect Dis.</i> 2014 Oct;46(10):712-5.
	Høgli JU , Småbrekke L, Garcia BH. MAT-CAP: a novel medication assessment tool to explore adherence to clinical practice guidelines in community-acquired pneumonia. <i>Pharmacoepidemiol Drug Saf.</i> 2014 Sep;23(9):933-41.
	Sollid JU , Furberg A-S, Hanssen AM, Johannessen M. <i>Staphylococcus aureus</i> : determinants of human carriage. <i>Infect Genet Evol.</i> 2014 Jan;21:531-41.
	Strand L , Jenkins A, Henriksen IH, Allum AG, Grude N, Kristiansen BE. High levels of multiresistance in quinolone resistant urinary tract isolates of <i>Escherichia coli</i> from Norway; a non clonal phenomenon? <i>BMC Res Notes.</i> 2014 Jun 19;7:376.
	Søraas A , Sundsfjord A, Jørgensen SB, Liestøl K, Jenum PA. High rate of per oral mecillinam treatment failure in community-acquired urinary tract infections caused by ESBL-producing <i>Escherichia coli</i> . <i>PLoS One.</i> 2014 Jan 15;9(1):e85889.
	Vik I , Bollestad M, Grude N, Bærheim A, Mølstad S, Bjerrum L, Lindbæk M. Ibuprofen versus mecillinam for uncomplicated cystitis- a randomized controlled trial study protocol. <i>BMC Infect Dis.</i> 2014 Dec 17;14:693.

15	Albiger B , Glasner C, Struelens MJ, Grundmann H, Monnet DL; European Survey of Carbapenemase-Producing <i>Enterobacteriaceae</i> (EuSCAPE) working group. Carbapenemase-producing <i>Enterobacteriaceae</i> in Europe: assessment by national experts from 38 countries, May 2015. Euro Surveill. 2015;20(45).
	Fjalstad JW , Stensvold HJ, Bergseng H, Simonsen GS , Salvesen B, Rønnestad AE, Klingenberg C. Early-onset Sepsis and Antibiotic Exposure in Term Infants: A Nationwide Population-based Study in Norway. <i>Pediatr Infect Dis J</i> . 2016 Jan;35(1):1-6.
	Hesstvedt L , Gaustad P, Andersen CT, Haarr E, Hannula R, Haukland HH, Hermansen NO, Larssen KW, Mylvaganam H, Ranheim TE, Sandven P, Nordøy I; Norwegian Yeast Study Group, Kanestrøm A, Grub C, Onken A, Thielsen C, Skaare D, Tofteland S, Sønsteby LJ, Hjetland R, Hide R, Vik E, Kümmel A, Åsheim S. Twenty-two years of candidaemia surveillance: results from a Norwegian national study. <i>Clin Microbiol Infect</i> . 2015 Oct;21(10):938-45.
	Löhr IH , Hülter N, Bernhoff E, Johnsen PJ, Sundsfjord A, Naseer U. Persistence of a pKPN3-like CTX-M-15-encoding IncFIK plasmid in a <i>Klebsiella pneumoniae</i> ST17 host during two years of intestinal colonization. <i>PLoS One</i> . 2015 Mar 4;10(3):e0116516.
	Mehl A , Harthug S, Lydersen S, Paulsen J, Åsvold BO, Solligård E, Damås JK, Edna TH. Prior statin use and 90-day mortality in Gram-negative and Gram-positive bloodstream infection: a prospective observational study. <i>Eur J Clin Microbiol Infect Dis</i> . 2015 Mar;34(3):609-17.
	Paulsen J , Mehl A, Askim Å, Solligård E, Åsvold BO, Damås JK. Epidemiology and outcome of Staphylococcus aureus bloodstream infection and sepsis in a Norwegian county 1996-2011: an observational study. <i>BMC Infect Dis</i> . 2015 Mar 4;15:116.
	Pulcini C , Wencker F, Frimodt-Møller N, Kern WV, Nathwani D, Rodríguez-Baño J, Simonsen GS, Vlahović-Palčevski V, Gyssens IC; ESGAP Curriculum Working Group. European survey on principles of prudent antibiotic prescribing teaching in undergraduate students. <i>Clin Microbiol Infect</i> . 2015 Apr;21(4):354-61.
	Raastad R , Tvette IF, Abrahamsen TG, Berild D, Leegaard TM, Walberg M, Müller F. A worrying trend in weight-adjusted paediatric antibiotic use in a Norwegian tertiary care hospital. <i>Acta Paediatr</i> . 2015 Jul;104(7):687-92.
	Rettedal S , Löhr IH, Bernhoff E, Natås OB, Sundsfjord A, Øymar K. Extended-spectrum β -lactamase-producing <i>Enterobacteriaceae</i> among pregnant women in Norway: prevalence and maternal-neonatal transmission. <i>J Perinatol</i> . 2015 Nov;35(11):907-12.
	Sunde M , Simonsen GS, Slette-meås JS, Böckerman I, Norström M. Integron, Plasmid and Host Strain Characteristics of <i>Escherichia coli</i> from Humans and Food Included in the Norwegian Antimicrobial Resistance Monitoring Programs. <i>PLoS One</i> . 2015 Jun 5;10(6):e0128797.
16	Andersen KM , Kristoffersen AK, Ingebretsen A, Vikholt KJ, Örtengren UT, Olsen I, Enersen M, Gaustad P. Diversity and antifungal susceptibility of Norwegian <i>Candida glabrata</i> clinical isolates. <i>J Oral Microbiol</i> . 2016 Feb 8;8:29849.
	Askim Å , Mehl A, Paulsen J, DeWan AT, Vestrheim DF, Åsvold BO, Damås JK, Solligård E. Epidemiology and outcome of sepsis in adult patients with <i>Streptococcus pneumoniae</i> infection in a Norwegian county 1993-2011: an observational study. <i>BMC Infect Dis</i> . 2016 May 23;16:223.
	Berg AS , Inchley CS, Aase A, Fjaerli HO, Bull R, Aaberge I, Leegaard TM, Nakstad B. Etiology of Pneumonia in a Pediatric Population with High Pneumococcal Vaccine Coverage: A Prospective Study. <i>Pediatr Infect Dis J</i> . 2016 Mar;35(3):e69-75.
	Berg AS , Inchley CS, Fjaerli HO, Leegaard TM, Nakstad B. Microbial aetiology of paediatric pneumonia complicated with parapneumonic effusion in the era of pneumococcal vaccination. <i>Infect Dis (Lond)</i> . 2016 Sep;48(9):712-4.
	Cavanagh JP , Wolden R, Heise P, Esaiassen E, Klingenberg C, Aarag Fredheim EG. Antimicrobial susceptibility and body site distribution of community isolates of coagulase-negative staphylococci. <i>APMIS</i> . 2016 Nov;124(11):973-978.
	Eliassen KE , Berild D, Reiso H, Grude N, Christophersen KS, Finckenhagen C, Lindbæk M. Incidence and antibiotic treatment of erythema migrans in Norway 2005-2009. <i>Ticks Tick Borne Dis</i> . 2017 Jan;8(1):1-8.

	<p>Esaiassen E, Cavanagh P, Hjerde E, Simonsen GS, Støen R, Klingenberg C. <i>Bifidobacterium longum</i> Subspecies <i>infantis</i> Bacteremia in 3 Extremely Preterm Infants Receiving Probiotics. <i>Emerg Infect Dis</i>. 2016 Sep;22(9):1664-6.</p> <p>Fjalstad JW, Stensvold HJ, Bergseng H, Simonsen GS, Salvesen B, Rønnestad AE, Klingenberg C. Early-onset Sepsis and Antibiotic Exposure in Term Infants: A Nationwide Population-based Study in Norway. <i>Pediatr Infect Dis J</i>. 2016 Jan;35(1):1-6.</p> <p>Høgli JU, Garcia BH, Skjold F, Skogen V, Småbrekke L. An audit and feedback intervention study increased adherence to antibiotic prescribing guidelines at a Norwegian hospital. <i>BMC Infect Dis</i>. 2016 Feb 27;16:96.</p> <p>Sørensen M, Wickman M, Sollid JU, Furberg AS, Klingenberg C. Allergic disease and <i>Staphylococcus aureus</i> carriage in adolescents in the Arctic region of Norway. <i>Pediatr Allergy Immunol</i>. 2016 Nov;27(7):728-735.</p> <p>Torsvik M, Gustad LT, Mehl A, Bangstad IL, Vinje LJ, Damås JK, Solligård E. Early identification of sepsis in hospital inpatients by ward nurses increases 30-day survival. <i>Crit Care</i>. 2016 Aug 5;20(1):244.</p> <p>Youngster I, Avorn J, Belleudi V, Cantarutti A, Díez-Domingo J, Kirchmayer U, Park BJ, Peiró S, Sanfélix-Gimeno G, Schröder H, Schüssel K, Shin JY, Shin SM, Simonsen GS, Blix HS, Tong A, Trifirò G, Ziv-Baran T, Kim SC. Antibiotic Use in Children - A Cross-National Analysis of 6 Countries. <i>J Pediatr</i>. 2017 Mar;182:239-244</p> <p>Zykov IN, Sundsfjord A, Småbrekke L, Samuelsen Ø. The antimicrobial activity of mecillinam, nitrofurantoin, temocillin and fosfomycin and comparative analysis of resistance patterns in a nationwide collection of ESBL-producing <i>Escherichia coli</i> in Norway 2010-2011. <i>Infect Dis (Lond)</i>. 2016 Feb;48(2):99-107.</p> <p>Aanensen DM, Feil EJ, Holden MT, Dordel J, Yeats CA, Fedosejev A, Goater R, Castillo-Ramírez S, Corander J, Colijn C, Chlebowicz MA, Schouls L, Heck M, Pluister G, Ruimy R, Kahlmeter G, Åhman J, Matuschek E, Friedrich AW, Parkhill J, Bentley SD, Spratt BG, Grundmann H; European SRL Working Group. Whole-Genome Sequencing for Routine Pathogen Surveillance in Public Health: a Population Snapshot of Invasive <i>Staphylococcus aureus</i> in Europe. <i>MBio</i>. 2016 May 5;7(3).</p>
17	<p>Berg ES, Wester AL, Ahrenfeldt J, Mo SS, Sletteåes JS, Steinbakk M, Samuelsen Ø, Grude N, Simonsen GS, Løhr IH, Jørgensen SB, Tofteland S, Lund O, Dahle UR, Sunde M. Norwegian patients and retail chicken meat share cephalosporin-resistant <i>Escherichia coli</i> and IncK/bla_{CMY-2} resistance plasmids. <i>Clin Microbiol Infect</i>. 2017 Jun;23(6):407.e9-407.e15</p> <p>Eliassen KE, Berild D, Reiso H, Grude N, Christophersen KS, Finckenhagen C, Lindbæk M. Incidence and antibiotic treatment of erythema migrans in Norway 2005-2009. <i>Ticks and Tick-borne Diseases</i>, Volume 8, Issue 1, January 2017, pages 1-8.</p> <p>Eliassen KE, Hjetland R, Reiso H, Lindbæk M, Tschudi-Madsen H. Symptom load and general function among patients with erythema migrans: a prospective study with a 1-year follow-up after antibiotic treatment in Norwegian general practice. <i>Scandinavian Journal of Primary Health Care</i>, Volume 35, 2017, Issue 1, pages 75- 83.</p> <p>Esaiassen E, Hjerde E, Cavanagh JP, Simonsen GS, Klingenberg C; Norwegian Study Group on Invasive Bifidobacterial Infections. <i>Bifidobacterium</i> Bacteremia: Clinical Characteristics and a Genomic Approach To Assess Pathogenicity. <i>J Clin Microbiol</i>. 2017 Jul;55(7):2234-2248.</p> <p>Giske A, Nymo LS, Fuskevåg OM, Amundsen S, Simonsen GS, Lassen K. Systemic antibiotic prophylaxis prior to gastrointestinal surgery - is oral administration of doxycycline and metronidazole adequate? <i>Infect Dis (Lond)</i>. 2017 Nov - Dec;49(11-12):785-791.</p> <p>Hanssen AM, Kindlund B, Stenklev NC, Furberg AS, Fismen S, Olsen RS, Johannessen M, Sollid JU. Localization of <i>Staphylococcus aureus</i> in tissue from the nasal vestibule in healthy carriers. <i>BMC Microbiol</i>. 2017 Apr 5;17(1):89.</p> <p>Hestvedt L, Arendrup MC, Poikonen E, Klingpor L, Friman V, Nordøy I; Swedish fungal Surveillance Group Collaborators. Differences in epidemiology of candidaemia in the Nordic countries - what is to blame? <i>Mycoses</i>. 2017 Jan;60(1):11-19.</p>

Publikasjoner relatert til NORM. NORM-data, NORM-finansiering eller NORM-ansatt.
 Alfabetisk liste med førsteforfattere for hvert publikasjonsår.

Jasienska G , Bribiescas RG, Furberg AS, Helle S, Núñez-de la Mora A. Human reproduction and health: an evolutionary perspective. <i>Lancet</i> . 2017 Jul 29;390(10093):510-520.
Johnsen BO , Handal N, Meisal R, Bjørnholt JV, Gaustad P, Leegaard TM. erm gene distribution among Norwegian <i>Bacteroides</i> isolates and evaluation of phenotypic tests to detect inducible clindamycin resistance in <i>Bacteroides</i> species. <i>Anaerobe</i> . 2017 Oct;47:226-232.
Junges R , Salvadori G, Shekhar S, Åmdal HA, Periselneris JN, Chen T, Brown JS, Petersen FC. A Quorum-Sensing System That Regulates <i>Streptococcus pneumoniae</i> Biofilm Formation and Surface Polysaccharide Production. <i>mSphere</i> . 2017 Sep 13;2(5).
Knudsen PK , Brandtzaeg P, Høiby EA, Bohlin J, Samuelsen Ø, Steinbakk M, Abrahamsen TG, Müller F, Gammelsrud KW. Impact of extensive antibiotic treatment on faecal carriage of antibiotic-resistant enterobacteria in children in a low resistance prevalence setting. <i>PLoS One</i> . 2017 Nov 7;12(11):e0187618.
Magiorakos AP , Burns K, Rodríguez Baño J, Borg M, Daikos G, Dumpis U, Lucet JC, Moro ML, Tacconelli E, Simonsen GS, Szilágyi E, Voss A, Weber JT. Infection prevention and control measures and tools for the prevention of entry of carbapenem-resistant <i>Enterobacteriaceae</i> into healthcare settings: guidance from the European Centre for Disease Prevention and Control. <i>Antimicrob Resist Infect Control</i> . 2017 Nov 15;6:113.
Mehl A , Åsvold BO, Kümmel A, Lydersen S, Paulsen J, Haugan I, Solligård E, Damås JK, Harthug S, Edna TH. Trends in antimicrobial resistance and empiric antibiotic therapy of bloodstream infections at a general hospital in Mid-Norway: a prospective observational study. <i>BMC Infect Dis</i> . 2017 Feb 2;17(1):116.
Mehl A , Åsvold BO, Lydersen S, Paulsen J, Solligård E, Damås JK, Harthug S, Edna TH. Burden of bloodstream infection in an area of Mid-Norway 2002-2013: a prospective population-based observational study. <i>BMC Infect Dis</i> . 2017 Mar 11;17(1):205.
Paulsen J , Askim Å, Mohus RM, Mehl A, Dewan A, Solligård E, Damås JK, Åsvold BO. Associations of obesity and lifestyle with the risk and mortality of bloodstream infection in a general population: a 15-year follow-up of 64 027 individuals in the HUNT Study. <i>Int J Epidemiol</i> . 2017 Oct 1;46(5):1573-1581.
Pulcini C , Mohrs S, Beovic B, Gyssens I, Theuretzbacher U, Cars O; ESCMID Study Group for Antibiotic Policies (ESGAP), ReAct Working Group on Old Antibiotics. Forgotten antibiotics: a follow-up inventory study in Europe, the USA, Canada and Australia. <i>Int J Antimicrob Agents</i> . 2017 Jan;49(1):98-101. Simonsen GS, Eriksen HM, Steinbakk M. Antibiotikaresistens må bekjempes globalt. <i>Tidsskr Nor Laegeforen</i> . 2017 Nov 13;137(21).
Simonsen GS . Use of antibiotics in hospitals and nursing homes. <i>Tidsskr Nor Laegeforen</i> . 2017 Mar 7;137(5):340.
Sørensen M , Klingenberg C, Wickman M, Sollid JUE, Furberg AS, Bachert C, Bousquet J. <i>Staphylococcus aureus</i> enterotoxin sensitization is associated with allergic poly-sensitization and allergic multimorbidity in adolescents. <i>Allergy</i> . 2017 Oct;72(10):1548-1555.
Youngster I , Avorn J, Belleudi V, Cantarutti A, Díez-Domingo J, Kirchmayer U, Park BJ, Peiró S, Sanfélix-Gimeno G, Schröder H, Schüssel K, Shin JY, Shin SM, Simonsen GS, Blix HS, Tong A, Trifirò G, Ziv-Baran T, Kim SC. Antibiotic Use in Children - A Cross-National Analysis of 6 Countries. <i>J Pediatr</i> . 2017 Mar;182:239-244.e1.